

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Name : James Vinyl & PVC Cleaner Clean & Quick dry
 Product code : 4604.0_76068RV57
 Type of product : Detergent
 Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use
 Use of the substance/mixture : The data given here is based on the product properties as mentioned in section 1.1. and is provided on the assumption, that the product will be used in the manner and for the purposes for which the manufacturer indicates.
 Use of the substance/mixture : Cleaner
 Floor cleaner.
 Function or use category : Cleaning/washing agents and additives

Title	Use descriptors
Professional use	SU22, PC35, PROC8a, PROC10, ERC8a
Consumer use	SU21, PC35, ERC8a

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

James
 Mercuriusplein 1
 5971 LW Grubbenvorst - Nederland
 T +31 (0) 773278000
info@james.eu

1.4. Emergency telephone number

Emergency number : See Section 1.3; Only during office hours

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0844 892 0111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

James Vinyl & PVC Cleaner Clean & Quick dry

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Signal word (CLP)	: Warning
Hazard statements (CLP)	: H319 - Causes serious eye irritation
Precautionary statements (CLP)	: P102 - Keep out of reach of children P280 - Wear eye protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions. The information in this section applies to the undiluted product.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Ethanol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	5 - 10	F; R11
Alcohol(C12-18)EO(>5-10)	(CAS No) 68213-23-0	1 - 5	Xi; R41

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Alcohol(C12-18)EO(>5-10)	(CAS No) 68213-23-0	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use. Allow breathing of fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Rinse skin with water/shower.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: Inhalation unlikely.
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard. The product is not considered to be irritating to the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Blurred vision. Burning sensation. Tears. Redness.
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not combustible.
-------------	--------------------

James Vinyl & PVC Cleaner Clean & Quick dry

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Material spilled on hard surface can present a serious slipping/falling hazard.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Do not flush into surface water. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Dispose in a safe manner in accordance with local/national regulations. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Dispose of in accordance with relevant local regulations. Wash away remainder with plenty of water.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Normal precautions for the use of chemicals and cleaners should be taken care of. See information supplied by the manufacturer. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/... equipment.

Storage conditions : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed. Protect from freezing.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm

James Vinyl & PVC Cleaner Clean & Quick dry

DNEL/DMEL (additional information)

See http://www.dguv.de/ifa/de/gestis/limit_values/index.jsp: Information on ingredients.

Ethanol (64-17-5)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1900 mg/m ³
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	950 mg/m ³

James Vinyl & PVC Cleaner Clean & Quick dry

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Ethanol (64-17-5)	
Long-term - systemic effects, oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m ³
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,96 mg/l
PNEC aqua (marine water)	0,79 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3,6 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,63 mg/kg dwt

8.2. Exposure controls

Personal protective equipment	: Avoid contact with skin, eyes and clothing. Avoid all unnecessary exposure. Protect eyes, face and skin from liquid splashes. Safety glasses.
Materials for protective clothing	: The information in this section applies to the undiluted product.
Eye protection	: Wear eye/face protection. Chemical goggles or safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed
Skin and body protection	: No special clothing/skin protection equipment is recommended under normal conditions of use
Respiratory protection	: No special protection required where adequate ventilation is maintained



Other information	: Do not eat, drink or smoke when using this product. The information in this section applies to the undiluted product.
-------------------	---

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light green. clear.
Odour	: Ethanol. perfumed.
Odour threshold	: No data available
pH	: No data available
pH solution	: 7,5 (20°C)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 50 °C (not maintaining combustion)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,984 g/cm ³ (20°C)
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 50 mPa.s (20°C)
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

James Vinyl & PVC Cleaner Clean & Quick dry

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Ethanol (64-17-5)	
LD50 oral rat	10470 - 13600 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	51 - 124,7 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/m ³

Alcohol(C12-18)EO(>5-10) (68213-23-0)	
LD50 oral	> 500 mg/kg bodyweight

Skin corrosion/irritation	: Not classified Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation. Classification according to Regulation (EC) No. 1272/2008 [CLP]. (CLP Annex I, 1.1.3). Bridging principle "Substantially similar mixtures". Bridging principle "Dilution"
Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met

James Vinyl & PVC Cleaner Clean & Quick dry	
Viscosity, kinematic	50,81300813 mm ² /s

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met. With the product as such no toxicological tests have been done. According to the criteria of art. 6 from 1999/45/EC or art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified as mentioned in section 2. Components that are toxic are mentioned in section 3.

James Vinyl & PVC Cleaner Clean & Quick dry

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : With the product as such no ecological tests have been done. According to the criteria of art. 7 from 1999/45/EC or art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified concerning the environment as mentioned in section 2. Components that are dangerous to the environment are mentioned in section 3.

Ethanol (64-17-5)	
LC50 fish 1	14200 mg/l
EC50 Daphnia 1	12340 (48h)
EC50 other aquatic organisms 1	5012 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	275 mg/l IC50 algea (72 h) mg/l

Alcohol(C12-18)EO(>5-10) (68213-23-0)	
LC50 fish 1	> 1 mg/l
EC50 other aquatic organisms 1	> 1 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1 mg/l IC50 algea (72 h) mg/l

12.2. Persistence and degradability

James Vinyl & PVC Cleaner Clean & Quick dry	
Persistence and degradability	Not established. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

James Vinyl & PVC Cleaner Clean & Quick dry	
Bioaccumulative potential	Not established.

Ethanol (64-17-5)	
Log Pow	-0,3

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste disposal recommendations : This material and its container must be disposed of in a safe way, and as per local legislation. Product as it is : Dispose as hazardous waste. Empty containers can be dumped after cleaning according to local legislation. Recycling is preferred to disposal or incineration. Empty the packaging completely prior to disposal. Flush residue with large amounts of water.
Additional information : Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials : Avoid release to the environment.
European List of Waste (LoW) code : 20 01 29* - detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

James Vinyl & PVC Cleaner Clean & Quick dry

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) : No

Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Allergenic fragrances > 0,01%:

HEXYL CINNAMAL
LINALOOL

Detergent Regulation : Labelling of contents:

Component	%
non-ionic surfactants	<5%
BENZISOTHIAZOLINONE	
METHYLISOTHIAZOLINONE	

James Vinyl & PVC Cleaner Clean & Quick dry

Safety Data Sheet

according to Regulation (EC) No. 453/2010

perfumes	
HEXYL CINNAMAL	
LINALOOL	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Raw materials information section 3.

See <http://esis.jrc.ec.europa.eu/index.php?PGM=dat> : Information on ingredients.

Health hazards

See Section 2 & 3 & 11.

Physical hazards

See Section 2 & 10.

Environmental hazards

See Section 2 & 3 & 12.

SECTION 16: Other information

Indication of changes:

2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Labelling according to Regulation (EC) No. 1272/2008 [CLP]	Modified	

Abbreviations and acronyms:

	ABM: Algemene Beoordelings Methodiek (NL) / ADR: Accord Européen relatif au transport international des marchandises dangereuses par route) / ALG: Allergen / AQTX: Aquatic Toxicity / Atm: Atmosphere (unit of pressure) / bw: bodyweight / C: Ceiling / CAR: Carcinogenic Effects / CAS No: Chemical Abstracts Service Number (see ACS – American Chemical Society) / CMRs: Carcinogenic, Mutagenic or toxic to Reproduction (substances) / CSR: Chemical Safety Report / Cc (cm3): Cubic Centimeter / DNEL: Derived No-Effect Level / EC50: half maximal effective concentration / ED50: Effective Dose 50 / ET50: Exposure Time 50 / I.V.: Intravenous / Kg: Kilogram / LC: Lethal Concentration / LC50: Median Lethal Concentration / LCLO: Lowest Lethal Airborne Concentration Tested (see also LC50, LD50) / LD: Lethal Dose / LD50: Median Lethal Dose LDLO: Lowest Lethal Dose Tested (see also LC50, LD50) / MAC: Maximum Allowable Concentration / MAK: Maximale Arbeitsplatz-Konzentration (Germany, Maximum Workplace Concentration, see OEL) / MSDS: Material Safety Data Sheet / NOAEL: No Observed Adverse Effect Level / NOEL: No Observable Effect Level / OEL: Occupational Exposure Limits / PBTs: Persistent, Bioaccumulative and Toxic substances / PEC: Predicted Environmental Concentration / PNEC: Predicted No-Effect Concentration / REACH: Registration, Evaluation, Authorisation and Restriction of Chemical substances / STEL: Short-Term Exposure Limit / STEV: Short-Term Exposure Value / STP: Sewage Treatment Plant TLM: Threshold Limit, Median / TLV-C: Threshold Limit Value-Ceiling / TLV®: Threshold Limit Value / TWA: Time-Weighted Average / WGK: Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act) / g/gms: Grams / kJ/mol: Kilojoules per mole / kPa: KiloPascal (unit of pressure) / m3: Cubic Meter / mg: Milligram / ml: Milliliter / ml Hg: Milliliters of Mercury / n.o.s.: Not Otherwise Specified / nm: nanometer / ppb: Parts Per Billion / pph: parts per hundred (= percent) / ppm: Parts Per Million / ppt: parts per trillion / vPvBs: Very Persistent and Very Bioaccumulative substances
--	---

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation

James Vinyl & PVC Cleaner Clean & Quick dry

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H412	Harmful to aquatic life with long lasting effects
ERC8a	Wide dispersive indoor use of processing aids in open systems
PC35	Washing and cleaning products (including solvent based products)
PROC10	Roller application or brushing
PROC8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities
SU21	Consumer uses: Private households (= general public = consumers)
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SDS EU (REACH bijlage II)/15.1.0.3

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product